

Scheepjes

LETHINGS

FOREST ANIMALS



FOREST ANIMALS

Have you ever been out walking in your local environment and spotted a furry (or spiky) friend scurrying by? In our small part of the world, the Netherlands, we are so fortunate to be close to many beautiful forests, big and small! All the wonderful things that forests give our world, such as shelter, food and all kinds of critters, are often closer to us than they may seem. From Mr. Prickles to Mrs. Fox and the Cosy Cub Sleeping Bag inspired by our hibernating furry friends, this issue of Pretty Little Things is dedicated to bringing forest animals from the wild and into your very own homes. Enjoy!

Scheepjes Creative Director



COSY CUB SLEEPING BAG

Gauge/Tension

21 sts and 38 rows to measure 10 x 10cm over moss st using 4mm needles.

Measurements

Actual length, buttoned, excluding Hood 67cm Width 42cm Height of Hood, excluding Ears 18cm

Abbreviations

[] number of sts on a given row beg beginning cont continue **k** knit k2tog knit 2 sts together: insert needle kwise into first two sts and knit them together kwise knitwise M1 make 1: to increase by 1 st by picking up the horizontal har between 2 sts with left needle **p** purl

p2tog purl 2 sts together: insert needle pwise into first 2 sts and purl them together (right leaning decrease) patt(s) pattern(s) pwise purlwise rep(s) repeat(s) **RS** right side sl1p slip 1 st pwise ssk slip 1 st kwise, slip next st kwise, insert left needle into front of 2 slipped sts and knit them together st(s) stitch(es) st st stocking stitch: RS knit, WS purl tbl through back loop(s) WS wrong side wyib with yarn in back: bring working yarn to back of work wyif with yarn in front: bring working yarn to front of work (as if to purl)

vo varn over



SHOPPING LIST

Pretty Little Things shopping lists can be cut out and taken along to your local yarn store when picking up supplies for your projects!

COSY CUB SLEEPING BAG

Scheepies Merino Soft (50% Superwash Merino Wool, 25% Microfibre, 25% Acrylic; 50g/105m) Yarn A: 608 Dali x 5 balls Yarn B: 619 Gauguin x 5 balls Yarn C: 642 Caravaggio x 1 ball 4mm knitting needles 20 x 28mm bear buttons





NOTES Use this space to write your pattern notes! *.....; rep from * once more /3 more times/ to */to end work the instructions after * and then repeat that section as specified: the same applies to any number of asterisks: **.....; rep from ** etc. (......) once/twice/3 times work the instructions between brackets the total number of times stated

Pattern Notes

Cosy Cub Sleeping Bag is worked using intarsia method in two colours, with each edge in rib using Yarn A (worked from two separate balls) and centre in Moss st using Yarn B. Twist the yarns when changing colour to avoid holes. For rib patt, work sts how they present on the left needle: knit the knit sts and purl the purl sts. For moss st, work sts opposite to how they present on the left needle: purl the knit sts and knit the purl sts.

Instructions

MAIN SLEEPING BAG

With 4mm needles and Yarn A, cast on 93 sts. <u>Note: Use separate balls for each section and twist</u> <u>yarns at colour changes (intarsia method)</u>. **Next row (RS)** With Yarn A, k1, (p1, k1) 7 times, with Yarn B, k1, *p1, k1: rep from * to last 15 sts, with separate ball of Yarn A, k1, (p1, k1) 7 times. **Next row (WS)** With Yarn A, p1, (k1, p1) 7 times, with Yarn B, k1, *p1, k1: rep from * to last 15 sts, with Yarn A, p1, (k1, p1) 7 times.

These 2 rows set rib edges on 15 sts at beg and end of row with centre moss st panel over 63 sts. Work in patt until work measures 86cm, ending with WS row.

Front

Cont in patt.

Buttonhole row (RS) With Yarn A, work 7 sts in rib, **sl1p wyif, (sl1p wyib, pass previous slipped st over last st) twice, return last st back to left needle, turn, using cable or knitted method cast on 3 sts, turn, sl1p wyib, pass last cast-on st over slipped st**, work 5 sts in rib, with Yarn B, work in moss st to last 15 sts, with Yarn A, work 6 sts in rib, rep from ** to **, work in rib to end. Work straight in patt a further 11 rows. Rep these 12 rows 8 more times. Rep Buttonhole row once more.

Work straight in patt a further 7 rows, ending with WS row.

Fasten off Yarn B and cont with one ball of Yarn A only.



Hem

Next row (RS) Work 15 sts in rib, k4, (M1, k6) 9 times, M1, k5, work 15 sts in rib. [103 sts] Next row (WS) *P1, k1: rep from * to last st, p1. Work a further 12 rows in rib as set. Buttonhole row (RS) Work 7 sts in rib, yo, p2tog, work in rib to last 9 sts, p2tog, yo, work 7 sts in rib. Work a further 7 rows in rib. Cast off in rib.

OUTER EAR (MAKE 2)

With 4mm needles and Yarn A, cast on 23 sts. Beg with a k row, work 12 rows in st st.

Shape Top Ear Row 1 (RS) K2, ssk, k to last 4 sts, k2tog, k2.

Row 2 (WS) Purl. Rep these 2 rows 3 more times. [15 sts]

Next row (RS) K2, ssk, k to last 4 sts, k2tog, k2. [13 sts]

Next row (WS) P2, p2tog, p to last 4 sts, p2tog tbl, p2. [11 sts] Cast off 3 sts at beg of next 2 rows. [5 sts] Cast off.

INNER EAR (MAKE 2)

With 4mm needles and Yarn A, cast on 23 sts. Note: Use separate balls for each section and twist yarns at colour changes (intarsia method). **Row 1 (RS)** With Yarn A, k6, with Yarn C, k11, with

Yarn A, k6.

Row 2 (WS) With Yarn A, p6, with Yarn C, p11, with Yarn A, p6.

These 2 rows set colours and st st. Cont in patt as set a further 10 rows.

Shape Top Ear

Row 1 (RS) With Yarn A, k6, with Yarn C, k1, ssk, k to last 9 sts, k2tog, k1, with Yarn A, k6.

Row 2 (WS) With Yarn A, p6, with Yarn C, p to last 6 sts, with Yarn A, p6.

Rep these 2 rows 3 more times. [15 sts] Fasten off Yarn C and cont with one ball of Yarn A only.

Next row (RS) K7, ssk, k to last 9 sts, k2tog, k7. [13 sts]

Next row (WS) P2, p2tog, p to last 4 sts, p2tog tbl, p2. [11 sts]


Cast off 3 sts at beg of next 2 rows. [5 sts] Cast off.

To Finish

Block Main Sleeping Bag, making sure to match width of ribbed hem to rest of work, and Ear sections. Fold cast-on edge in half, then seam the two halves together to form Hood. Fold bottom a few rows below first buttonhole row, bring up front of Sleeping Bag and attach buttons to correspond with buttonholes. Join side and cast-off edges of Inner Ear to Outer Ear, then rep for second Ear. Sew Ears onto hood (use photo as guide). Weave in all ends.







MR. PRICKLES PINCUSHION By Elizabeth Barraclough

Abbreviations RS right side WS wrong side

Measurements Hedgehog is approximately 9 x 6cm

Pattern Notes

Pincushion can be attached to a wristband or your sewing machine to keep work surfaces free. If making wristband, you will also need a tape measure, iron and sewing machine. Self-adhesive hook and loop tape make positioning easier than non-adhesive variant, and can be used to directly attach Pincushion to your sewing machine. If using non-adhesive hook and loop tape, use small amount of glue for placement. Sew tape onto felt with sewing machine or by hand using pliers to help pull needle through thickness.



Instructions

WRISTBAND (OPTIONAL)

Step 1 Measure around your wrist where you would wear a watch strap. Add 8cm to measurement to calculate length. Cut a piece of fabric to measure length x 12cm.

Step 2 With WS facing, fold short ends in by 1cm. Fold strip in half so long sides meet and iron. Open back out and fold the long raw edges in so that they meet at centre (but don't overlap) and iron. Fold in half again to make Wristband with all raw edges enclosed to measure (your wrist measurement + 6cm) x 3cm, iron.

Step 3 Making sure that all edges meet, top stitch around Wristband 3mm from edge.

Step 4 Cut a 2cm piece of <u>loop tape</u> and position at centre of Wristband, this will be the outer side of the band. Cut a 4cm piece of <u>hook tape</u> and position 1.5cm in from right hand side. Turn Wristband over. Cut a 4cm piece of <u>loop tape</u> and position 0.5cm in from left hand side. Check fit around wrist and adjust tape position if needed. Sew hook and loop pieces in place (see Pattern Notes). Secure and tidy up thread ends.

HEDGEHOG

Step 1 Trace template on p. 6, cut out two Body pieces from brown felt and two Face pieces from cream felt.

Step 2 Sew 2cm piece of loop tape to RS of one Body piece for attaching to Wristband or sewing machine. If attaching Pincushion to sewing machine, attach 2cm piece of self-adhesive hook tape to sewing machine. Step 3 With loop tape facing outwards, sew around Body pieces held together by hand or machine with matching thread and a 1cm seam allowance. Leave 3cm opening at Face end. Stuff Body firmly then continue to sew opening closed. Use pinking shears to trim around Body edge about 0.5cm from stitch line. Step 4 Using two strands of black embroidery thread, sew French Knot on RS of one Face piece to make Eye. Sew Mouth on same piece of felt with backstitch and attach small button Nose (use image as guide). Step 5 Place two Face pieces together, WS facing. Starting at Nose and working down either side, begin whip stitching together. After a few stitches, sandwich the Body between the Face pieces (see Schematic on p.6) and sew through all lavers to attach. Note: Do not sew down the 'spikes' at the back of the Face or they will lose their shape.

To Finish

Attach Hedgehog to Wristband or your sewing machine and add pins. Glass-headed pins will look particularly good on your Pincushion!





SHOPPING LIST MR. PRICKLES PINCUSHION

1 sheet of brown felt (item no. 10100-011) 1 sheet of cream felt (item no. 10100-041) spool brown Gütermann Sew-All thread (item no. G303-200-179) 1 spool cream Gütermann Sew-All thread (item no. G303-200-003) Black DMC Stranded Cotton embroidery thread (item no. 117MC-0310) Polyester stuffing (item no. 240130-10) 5mm black or brown button (or two small circles of felt) Glass-headed pins (item no. 96131) **Pinking shears** Sewing needle Wristband (optional)

10cm x 20mm Prym self-adhesive hook and loop tape (optional) (item no. 968.655)

30 x 15cm cotton fabric (item no: 95066 or 95062) 1 spool brown Gütermann Sew-All thread.

(item no. G303-200-019)



NOTES Use this space to write your pattern notes!

MRS. FOX by nienke jongstra

8

Gauge/Tension Tension is not critical for this project.

Measurements

13cm wide x 20cm high

Abbreviations

[] number of stitches on a given row.
blo back loop only: insert hook under back loop only
ch(s) chain(s)
dc2tog double crochet 2 together to decrease by 1
st: (insert hook in next st, yoh, pull up loop) twice, yoh
pull through both loops
dc double crochet
inc increase by 1 st: insert hook in next st blo, dc,
insert hook in same st, dc
mr magic ring
ss slip stitch(es)
st(s) stich(es)
yoh yarn over hook
(.....) once/twice/3 times work the instructions
between brackets the total number of times stated

Pattern Notes

This pattern is worked in rows, turn work at end of each row.

Instructions

BODY (MAKE 2)

With Yarn A, ch26.

Row 1 (RS) 11 (does not count as s throughout), 1dc in second ch from hook, 1inc, 21dc, 1inc, 1dc. [27 sts] Row 2 (WS) 11, 25dc, 1inc, 1dc. [28 sts]
 Row 3
 11, 1dc, 1inc, 24dc, 1inc, 1dc. [30 sts]

 Row 4
 11, 28dc, 1inc, 1dc. [31 sts]

 Row 5
 11, 1dc, 1inc, 27dc, 1inc, 1dc. [33 sts]

 Row 6
 11, 33dc.

 Row 7
 11, 1dc, 1inc, 31dc. [34 sts]

 Row 8
 11, 34dc.

RIGHT SIDE OF OPENING

Note: To make Opening in Body, don't work complete row. Row 9 11, 1dc, 1inc, 9dc. [12 sts] Row 10 11, 12dc. Row 11 11, 1dc, 1inc, 10dc. [13 sts] Row 12 11, 13dc. Row 13 11, 1dc, 1inc, 11dc. [14 sts] Row 14 11, 14dc. Row 15 11, 1dc, 1inc, 12dc, fasten off. [15 sts]

LEFT SIDE OF OPENING

Join Yarn A with ss in 27th st of Row 8. Row 9 (RS) 11, ch1, (skip 1 dc) 6dc. [7 sts] Rows 10-15 11, 7dc.

CLOSING THE OPENING

Row 16 1I, 7dc, 16ch, 15dc. [38 sts] Row 17 1I, 1dc, 1inc, 36dc. [39 sts] Rows 18-19 1I, 39dc. Row 20 1I, 37dc, 1inc, 1dc. [40 sts] Rows 21-22 1I, 40dc.

TAIL

<u>Note: Don't work complete row.</u> **Row 23** II, 13dc. **Row 24** II, 1dc, dc2tog, 10dc. [12 sts]



SHOPPING LIST

MRS. FOX

Scheepjes Catona (100% Mercerised Cotton: 50g/125m) Yarn A: 388 Rust x 1 ball

Scheepjes Catona (100% Mercerised Cotton: 10g/25m) Yarn B: 105 Bridal White x1 ball Yarn C: 110 Jet Black x1 ball 2.5mm crochet hook Polyester stuffing (item no. 240130-10) Squeaker (optional) (item no. 96024)





NOTES Use this space to write your pattern notes! Row 25 11, 7dc, (dc2tog) twice, 1dc. [10 sts] Row 26 11, 1dc, dc2tog, 7dc. [9 sts] Rows 27-33 11, 9dc, fasten off. Change to Yarn B. Row 34 11, (1dc, 1dc in next st one row lower) 4 times, 1dc. [9 sts] Row 35 11, 9dc. Row 36 11, 1dc, dc2tog, 3dc, dc2tog, 1dc. [7 sts] Row 37 11, 7dc. Row 38 11, 1dc, dc2tog, 1dc, dc2tog, 1dc. [5 sts] Row 39 11, 1dc, dc2tog, 1dc. [3 sts] Row 40 11, skip 2 dc, 1dc, fasten off. [1 st]

N

UPPER BODY

Join Yarn A with ss in 14th st of Row 22. Row 23 (RS) 11, 1dc in same st as ss (does not count as st), ch1, 23dc, dc2tog, 1dc. [26 sts] Row 24 (WS) 11, 26dc. Row 25 1l, 1dc, dc2tog, 20dc, dc2tog, 1dc. [24 sts] Row 26 11. 24dc. **Row 27** 11, 1dc, dc2tog, 18dc, dc2tog, 1dc, [22 sts] Row 28 11, 22dc. **Row 29** 11, 1dc, dc2tog, 16dc, dc2tog, 1dc. [20 sts] Row 30 11, 20dc. Row 31 1l, 1dc, dc2tog, 14dc, dc2tog, 1dc. [18 sts] **Row 32** 1l, 1dc, dc2tog, 12dc, dc2tog, 1dc. [16 sts] **Row 33** 1l, 1dc, dc2tog, 10dc, dc2tog, 1dc. [14 sts] Row 34 11, 14dc. Row 35 1l, 1dc, (1incr) twice, 8dc, (1incr) twice, 1dc. [18 sts] **Row 36** 11, 1dc, 1inc, 14dc, 1inc, 1dc. [20 sts] **Row 37** 11, 1dc, 1inc, 16dc, 1inc, 1dc. [22 sts] Row 38 11, 22dc. **Row 39** 1l, 1dc, 1inc, 18dc, 1inc, 1dc. [24 sts]

 Row 40 1I, 24dc.

 Row 41 1I, 1dc, 1inc, 20dc, 1inc, 1dc. [26 sts]

 Rows 42-48 1I, 26dc.

 Row 49 1I, 1dc, dc2tog, 20dc, dc2tog, 1dc. [24 sts]

 Row 50 1I, 24dc.

 Row 50 1I, 24dc.

 Row 52 1I, 22dc.

 Row 53 1I, 1dc, dc2tog, 16dc, dc2tog, 1dc. [22 sts]

 Row 53 1I, 1dc, dc2tog, 16dc, dc2tog, 1dc. [20 sts]

 Row 54 1I, 1dc, dc2tog, 16dc, dc2tog, 1dc. [18 sts]

 Row 55 1I, 1dc, dc2tog, 12dc, dc2tog, 1dc. [16 sts]

 Row 55 1I, 1dc, dc2tog, 10dc, dc2tog, 1dc. [14 sts]

 Row 57 1I, skip 2 dc, 9dc, skip 2 dc, 1dc. [10 sts]

 Row 58 1I, skip 2 dc, 5dc, skip 2 dc, 1dc, fasten off. [6 sts]

RK

K F

CHEEK (MAKE 2)

KKK

With Yarn B, ch6. Row 1 11 (does not count as s throughout), 1dc in second ch from hook, 4dc. [5 sts] Row 2 11, 1dc, 1inc, 3dc. [6 sts] **Row 3** 11, 1dc, dc2tog, 1dc, 1inc, 1dc. [6 sts] **Row 4** 11, 1dc, 1inc, 4dc, [7 sts] **Row 5** 11, 1dc, dc2tog, 2dc, 1inc, 1dc. [7 sts] **Row 6** 1I, 1dc, 1inc, 5dc. [8 sts] **Row 7** 1I, 1dc, dc2tog, 3dc, 1inc, 1dc. [8 sts] Row 8 11, 8dc. **Row 9** 11, 1dc, dc2tog, 5dc. [7 sts] Row 10 11, 7dc. **Row 11** 1l, 1dc, dc2tog, 4dc. [6 sts] Row 12 11, 1dc, (dc2tog) twice, 1dc. [4 sts] **Row 13** 11, 1dc, skip 2 dc, 1dc, fasten off, [2 sts] Edge around both Cheeks with dc, ss to first dc, fasten off.

EAR (MAKE 2)

Join Yarn B with ss to top of Body using image as a guide

X

and work through both front and back pieces of Body. **Row 1** 1dc in same st as ss (does not count as st), ch1, 3dc. [4 sts] **Row 2** 1I (does not count as s throughout), 4dc. **Row 3** 1I, skip 1 dc, 3dc. [3 sts] **Row 4** 1I, skip 1 dc, 2dc. [2 sts] **Row 5** 1I, skip 1 dc, 1dc, fasten off. With Yarn A, edge around both Ears with two rows of dc, working through both Body pieces at edges. Fasten off.

EYES AND NOSE (MAKE 3)

With Yarn C, make mr. **Round 1** Ch1, 6dc, ss to first dc, fasten off.

To Finish

Join Yarn B with ss to any corner of Opening of Body. **Round 1** 1dc in same st as ss (does not count as st), ch1, 45dc, ss to ch-1, fasten off. [46 sts] <u>Note: Work 7dc on both sides of Opening and 16dc</u> <u>across top and bottom of Opening.</u> Repeat for second Opening. Sew both Openings together.

EDGING BODY

Note: Stuff as you go and insert (optional) squeaker halfway.

Join Yarn C with ss, ch1 (does not count as s), 1dc in same s as ss, work through both front and back pieces of Body, edge around Body with dc, ss to first dc, turn. Note: Work 2dc or 3dc in corner s.

Work 1 ss into each st around, fasten off. Using image as guide, sew on Cheeks, Eyes and Nose. Weave in all ends.

THE HIDDEN TALENT OF A PINCUSHION!

There's often more to a pin cushion than simply providing a safe place to store your pins. They can provide an added benefit of keeping your pins super sharp.



Here's how:

1. Make your pincushion out of wool felt and/or stuff it with wool! The natural lanolin found in wool will help keep your pins smooth and sharp.

2. Fill your pincushion with steel wool for even more effective results. Keep in mind to choose a very fine steel wool to lower the risk of abrasion.

3. For a plant-based option, fill your pincushion with ground walnut shells whose oils help maintain your pins and needles. Be sure to pop them inside some lining to prevent oil transfer and keep them in a safe place where your pets can't get their paws on them.

4. Get your hands on some old-school 'emery sand' which is a mixture of finely ground metals and minerals designed to be the most effective option for keeping pins and needles sharp! Like steel wool, this filling can cause some abrasion.

Follow the link to read about some of Simy's favourite pins to fill your Mr. Prickles Pincushion with: **bit.ly/simy-loves-pins**

